	Application No.	Applicant(s)
Notice of Allowability	10/088,601	MARTIN ET AL.
	Examiner	Art Unit
	Seth Barney	3752
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 3/6/06</u> .		
2. The allowed claim(s) is/are <u>11-14,19,24 and 25</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🗵 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🖾 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	F Nation of Informal D	ntant Analisation (DTO 450)
 Notice of References Cited (F10-932) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	atent Application (PTO-152)
	Paper No./Mail Date	e ´
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. Examiner's Amendn	nenvComment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
	9.	

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-14, 19, 24, and 25 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: While two opposing faces combined to form a nozzle known in the art, a nozzle unit having a liquid nozzle, an air nozzle, a vessel for liquid to be dispensed, and a conduit, wherein forced air draws liquid from the vessel to the liquid exit nozzle such that both nozzles are formed when opposing faces having elements are sealed together is not known or rendered obvious by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Patent No. 5,520,339 to Kuo discloses nozzles formed from the sealing of two opposing faces. U.S. Patent No. 4,047,995 to Leal-Diaz discloses nozzles formed from the sealing of two opposing faces.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Seth Barney whose telephone number is (571)272-4896. The examiner can normally be reached on 7:30am-5:00pm (Mon-Fri), first friday off.

Application/Control Number: 10/088,601

Art Unit: 3752

601 Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel can be reached on (571)272-4919. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Seth Barney Examiner Art Unit 3752

sh

het son

David A. Scherbel Supervisory Patent Examiner

Group 3700